NX Advanced FEM environment for ANSYS solver


NX CAE

Benefits

- Enables engineers using NX Advanced FEM or NX Advanced Simulation to generate finite element models for the Ansys solver
- Simplifies the Ansys modeling process by enabling engineers to create analysis models based on geometry or legacy Ansys input data files
- Reduces or eliminates intermediate manual processing of data files by generating run-ready decks directly from NX Advanced FEM
- Immerses engineers in the Ansys environment by using familiar Ansys terminology and extensively supporting Ansys-specific elements and entities

Summary

The Ansys environment for NX™ Advanced FEM or NX Advanced Simulation enables engineers to build finite element models, define solution parameters and view the solution results for the Ansys solver. The environment immerses engineers with familiar Ansys language for element definitions, loads and boundary conditions, solution parameters and other common Ansys nomenclature. In addition to model definition capabilities, the Ansys environment provides bi-directional import/export capabilities that enable you to import current or legacy Ansys data files and results, as well as export run-ready Ansys input data files.







NX Advanced FEM environment for ANSYS solver

The power of NX Advanced FEM pre- and post-processing is an ideal partner for creating Ansys models and solutions. NX Advanced FEM simplifies the modeling process by integrating high-end analyst modeling tools with world-class geometry capabilities that assist you with developing analysis models faster than with traditional CAE pre-processors. Adding the Ansys environment to NX Advanced FEM enables you to build Ansys run-ready input data files, so little or no intermediate processing is ever needed. In addition to building Ansys models, the NX Ansys environment imports solution results directly from Ansys results files into NX for postprocessing. The environment delivers import/export capabilities so you can import Ansys data decks into NX for modification and then export run-ready decks for solution.


Import Ansys models


- Import complete Ansys finite element models including bulk data as well as solution controls and step controls.
 PREP7 and CDWRITE formats are supported
- Import beam element cross-section shapes for graphical display
- Import support for nodal thickness values on 2D elements
- Importing material orientation vectors as spatial fields

Create and export Ansys models from NX

The following types of analyses are supported:

 Structural linear static, modal, buckling, and nonlinear static





Simulation Navigator

Samulation Navigator

Samulation Navigator

Samulation Chiefet Container

Samulation Chiefet C

- Axisymmetric structural linear and nonlinear statics
- Thermal and axisymmetric thermal

Elements and other entities

A wide variety of elements and other model entities are supported. Structural element types:

- Rod (BEAM4, LINK8, LINK10, LINK180)
- Beam (BEAM44, BEAM188)
- Axisymmetric solids, plane stress and plane strain (PLANE42, PLANE82, PLANE182, PLANE183, INTER192)
- Thin shell (SHELL63, / 93/ 91/ 99/ 181/ 281)
- Solid elements (SOLID45 /92 /95 /185 /186 /187 /191 SOLSH190, INTER195)
- Surface-to-surface contact elements (CONTA174/ TARGE170)
- Rigid, constraint, spring, damper, gap and mass elements (CP, CE, CERIG, MPC184, COMBIN14, COMBIN40, CONTAC12, CONTAC52, MASS21)
- Pretension elements (PRETS179)
- Shell and solid laminates

Thermal element types:

- Rod (BEAM4) and beam (BEAM44) elements
- Thin shell (SHELL57/ 93)
- Axisymmetric solids (PLANE55 /77)
- Solid elements (SOLID70 /87 /90)
- Mass elements (MASS21)
- Thermal-fluid pipe (FLUID116)
- Surface elements (SURF151, /152)

All KEYOPTS and Real Constants are supported in the graphical user interface.

A complete list of Ansys import/export entity support is provided in the NX online help documentation under the following header: Advanced Simulation/Solving the Model/Importing and Exporting Model Data/.

Loads and boundary conditions

Loads and boundary conditions for structural and thermal analysis are supported:

- Nodal force
- Nodal temperature and heat source
- Varying nodal pressure loads
- Acceleration loads
- Elemental face and edge pressure
- Elemental face and edge convection
- Elemental heat flux
- Coupled DOF
- Multi-point constraints
- Beam distributed load
- Nodal restraint
- Nodal temperature restraint (NX boundary or from Ansys temperature results file or other solvers' temperature results)
- Contact in modal and buckling solutions


Compatibility


The Ansys environment is compatible with the following Ansys releases:

Ansys v13 or earlier

Supported hardware/OS

The Ansys environment is an add-on module within the NX Advanced Simulation suite. It requires a license of NX Advanced FEM as a prerequisite. It is available on all NX supported hardware/OS platforms (Windows and Linux) including selected 64-bit platforms.





Contact

Siemens Industry Software Americas +1 800 498 5351 Europe +44 (0) 1276 702000

Asia-Pacific +852 2230 3333

www.siemens.com/nx

© 2011 Siemens Product Lifecycle Management Software Inc. All rights reserved. Siemens and the Siemens logo are registered trademarks of Siemens AG. D-Cubed, Femap, Geolus, GO PLM, I-deas, Insight, JT, NX, Parasolid, Solid Edge, Teamcenter, Tecnomatix and Velocity Series are trademarks or registered trademarks of Siemens Product Lifecycle Management Software Inc. or its subsidiaries in the United States and in other countries. All other logos, trademarks, registered trademarks or service marks used herein are the property of their respective holders.