

NX

## Services Précicad

New aluminum, electric utility transport is green in more ways than one: half the weight with 60 percent fewer welds

### Industry

Automotive and transportation

### Business challenges

Smelter requested a fleet of aluminum electric utility vehicles

Vehicles needed a load-carrying capacity of 1,000 pounds

6 months to 1 year for development

### Keys to success

Ability to import SolidWorks geometry into NX CAE

Rapid FEA pre-processing

Fast design-analysis iterations

### Results

First prototype ready in 6 months

Lower weight contributing to longer operation time per battery charge

60 percent fewer welds means lower production costs

1,500-pound carrying capacity exceeded original requirements

Grand prize for innovation

**Using NX CAE and NX Nastran, Kargo is optimized for strength, weight, production costs and ease of recycling**

### Aluminum smelter wanted an aluminium utility vehicle




Services Précicad Inc. (Précicad) is a multi-disciplinary team of engineers, industrial designers, technicians and drafters providing consulting services for product development, with special emphasis on industrial design, mechanical design and finite element analysis (FEA). Clients include Cirque de Soleil, Garant, RioTinto Alcan, SigmaDek, Volvo Buses and GE Hydro.

Another Précicad client is Aluminerie Alouette, a Canadian aluminum smelter that came to Précicad with an interesting request. Part of the smelting process involves the injection of direct current (DC) into alumina powder. The current creates a strong static magnetic field – so strong that regular internal combustion engines can't operate in some areas of a smelting facility. Aluminerie Alouette uses electric utility vehicles in those places to transport people and equipment. Until recently, however, those vehicles were made of steel, and Aluminerie Alouette, which produces aluminum, thought it would be better to have electric vehicles made of aluminum. In addition to showcasing Aluminerie Alouette's



“NX CAE is really fast and, in the same day, we could do many iterations.”

Stephane Arsenault  
Head of FEA Department  
Précicad



product, they could design the vehicles for easier recycling – an important consideration for a company that cares about the environment.

Précicad’s challenge was to design and manufacture a small fleet of electrically powered utility vehicles with bodies and frames made of aluminum instead of steel. Aluminerie Alouette requested a load-carrying capacity of 1,000 pounds. In terms of timing, the smelter was at the point where it needed to replace its existing vehicles, so Précicad agreed to have a working model ready within six months to a year.

#### Integrated design and analysis

Précicad has a number of computer-aided design (CAD) solutions. For the modeling work on this project the company decided to use SolidWorks® software from Dassault Systèmes Solidworks Corporation. Because finite element analysis (FEA) would be critical to the development of the vehicle, NX™ software from Siemens PLM Software also played an important role in the project, particularly NX CAE, NX Nastran® and NX

Thermal software for FEA. Précicad has used these solutions for nearly a decade, supported by the Siemens PLM Software reseller, MAYA Simulation, which provides specialized training, continuous application and technology support, flexible commercial terms and more.


After meeting with Aluminerie Alouette and making sure they understood all the requirements for the vehicle, Précicad engineers used SolidWorks to model the vehicle geometry. Then they imported the SolidWorks assembly model into NX CAE, where they simplified the geometry, created the finite element mesh, applied loads and indicated boundary conditions. “There’s no problem importing the SolidWorks data, and it’s really fast to do the FEA preprocessing work in NX CAE,” says Stephane Arsenault, head of Précicad’s FEA department. “It took a couple of days to analyze smaller components and about a week to analyze the entire assembly.”

Some of the load cases that the engineers evaluated included gravity, braking, turning and acceleration. The engineers followed an iterative process in which they went back and forth between design and analysis, using analysis results to optimize the design. "NX CAE is really fast and, in the same day, we could do many iterations, such as evaluating different material thicknesses," Arsenault explains. Rather than going back into SolidWorks, the engineers often made the geometry modifications using NX synchronous technology, working directly with the NX analysis model. "That saved us a lot of time," says Arsenault. "The user interface is friendly and it's so much easier to modify geometry compared to even a few years ago."

Précicad also used NX Thermal analysis software on this project, using the application to research ways of making the vehicle battery operate more effectively in cold weather.

#### **Optimized to reduce weight and lower production costs**

Using NX on this project enabled Précicad to create a utility vehicle that was ready on-time and more than met its requirements. Précicad had a working prototype ready to show the customer in 6 months. The vehicle they created met its load-carrying capacity of 1,000 pounds (although in the current design that has been increased to 1,500 pounds). That vehicle weighs only 1,500 pounds, which is half the weight of the customer's steel-framed vehicles. The weight Précicad was able to eliminate through the



## Solutions/Services

NX  
NX CAE  
NX Nastran  
NX Thermal  
[www.siemens.com/nx](http://www.siemens.com/nx)

## Customer's primary business

Services Précicad, Inc. provides industrial design, mechanical design and numerical simulation services.  
[www.precicad.com](http://www.precicad.com)

## Customer location

Quebec City, Quebec  
Canada

## Partner

Maya Simulation Ltd.  
[www.mayasim.com](http://www.mayasim.com)

"There's no problem importing the SolidWorks data, and it's really fast to do the FEA preprocessing work in NX CAE."

Stephane Arsenault  
Head of FEA Department  
Précicad

material change and the use of NX CAE is paying off for the customer by allowing the battery to run longer before it needs to be recharged.

Another design improvement achieved with NX CAE significantly reduced production costs. "Our original structure was mostly welded, but that was very costly for us," says Stephan Lachevrotière, head of Précicad's design and modeling department. "With the help of FEA, we designed our own extrusion and reduced the number of welds by 60 percent."

With fewer welds and more mechanical connections, the vehicle, which is called Kargo, is easily dismantled for recycling. In fact, in the user's manual, Précicad describes what can be done with each part of the vehicle at the end of its life.

The Specialty Vehicles and Transportation Equipment Manufacturers' Association awarded its grand prize for innovation to Précicad for the Kargo project. Précicad decided to continue manufacturing the vehicle and to make it available for other industrial applications. The Kargo is available in four configurations: the base model, one with dropped sides, one with a tilting platform, and one with an enclosed cargo box.



## Siemens Industry Software

Americas +1 800 498 5351  
Europe +44 (0) 1276 702000  
Asia-Pacific +852 2230 3333

© 2012 Siemens Product Lifecycle Management Software Inc. All rights reserved. Siemens and the Siemens logo are registered trademarks of Siemens AG. D-Cubed, Femap, Geolus, GO PLM, I-deas, Insight, JT, NX, Parasolid, Solid Edge, Teamcenter, Tecnomatix and Velocity Series are trademarks or registered trademarks of Siemens Product Lifecycle Management Software Inc. or its subsidiaries in the United States and in other countries. SolidWorks is a registered trademark of Dassault Systèmes Solidworks Corporation. NASTRAN is a registered trademark of the National Aeronautics and Space Administration. All other logos, trademarks, registered trademarks or service marks used herein are the property of their respective holders.  
Z4 30137 5/12 A

[www.siemens.com/plm](http://www.siemens.com/plm)