

Aerospace and defense

General Atomics Aeronautical Systems

An integrated approach to efficient aeroelastic analysis

Product

NX

Business challenges

Verify aeroelastic stability ahead of flight tests

Develop analysis models while design is still maturing

Use select simulation and test tools required for accurate, efficient analysis

Keys to success

Employ mix of best available tools in an integrated manner to meet schedule and technical requirements

Seamlessly share data to allow correlation of analysis models with test data

Use validated models to carry out advanced analysis with confidence



Using integrated test and analysis tools to help qualify the Predator B UAV for flight

Expanding the capabilities of the Predator UAV

A tight schedule and a complex, all-composite design required a fresh approach to modeling and analysis to verify the stability of the Predator B UAV in time for flight tests.

The Predator B represents a significant expansion of the mission performance and capability of the highly successful Predator, a long endurance unmanned aerial vehicle (UAV) used by the U.S. Air Force for surveillance and reconnaissance

missions. Predator B has 50 percent more payload capacity, an endurance of up to 30 hours and significantly increased speed and operating altitude. Higher speeds and a longer wing span both increase the potential susceptibility for the aircraft to experience flutter. ATA Engineering, Inc. (ATA) was asked by General Atomics Aeronautical Systems, Inc. (GA-ASI) to determine if Predator B would experience flutter within the prescribed flight envelope. With flight tests approaching, and the design proceeding concurrently with the analysis, ATA needed a set of tools that would allow rapid model development, continual updating of models as the design matured, and powerful dynamics analysis capabilities.

“The ability to use multiple tools in a tightly integrated fashion lets the engineers focus their efforts on the design issues, resulting in faster, better solutions.”

David Alexander
Vice President of Engineering
GA-ASI

Results

Complex, all-composite structure quickly modeled in entirely graphical environment

Efficiently updated analysis models correlate accurately with test data

Verified stability of UAV structure in time for flight testing



Comprehensive tools, comprehensive solutions

To meet an aggressive schedule for the completion of the aeroelastic analysis, it was not possible to be constrained by the limitations of a single solution or simulation code. Instead, a mix of the best available tools was used in a highly integrated manner to allow both the schedule and technical requirements to be met. These tools included NX™ I-deas™ software for finite element mesh generation, I-deas Test for test and correlation, and Nastran® software for dynamic analysis. The use of fully associative geometry, finite element modeling (FEM) and laminates tool sets allowed efficient modeling of the complex composite structure and greatly reduced the time required to incorporate design changes. Analysis models were rapidly updated to correlate accurately with test data through the seamless sharing of data between test and analysis codes. Validated analysis models were then used to perform the advanced aeroelastic analyses, and the stability of the final design was verified in time for flight testing.

Integrated tool set of NX and analysis strength of Nastran = best solution

The Predator B is an all-composite aircraft with a multitude of different materials and lay-ups throughout, suggesting a difficult and time-consuming modeling task. The suite of direct translators available with NX I-deas allowed trouble-free interaction

with a variety of other computer-aided design (CAD) and computer-aided engineering (CAE) codes, while its design-associative, system-level FEM capabilities greatly reduced preprocessing time.

The advanced “section meshing” capabilities of NX MasterFEM (within NX I-deas) were used to remove unwanted features from the detailed solid geometry provided by the manufacturer. This allowed the rapid generation of a less complex geometry that was used in the development of a mesh suitable for modal and aeroelastic analysis.

Associativity with the solid geometry allowed automatic updating of the meshes to incorporate design modifications. The assembly-level finite element modeling functionality of NX MasterFEM allowed the modification of meshes of individual components without the need to edit other parts of the assembly, while the graphical interface of NX Laminate Composites provided easy verification of lay-up design.

The finite element model was exported to Nastran for modal analysis. Mode shape results were imported back into NX I-deas and reviewed using advanced CAE results postprocessing and visualization capabilities. Modal test data for the aircraft was measured using I-deas Test, and model updating and correlation with modal test data were performed using a combination

Solutions/Services

NX I-deas
www.siemens.com/nx

Customer's primary business

General Atomics Aeronautical Systems, Inc. is focused on the design and production of unmanned aircraft systems. These state-of-the-art reconnaissance systems are in extensive use by the U.S. government, including the U.S. Air Force, NASA, Department of Energy and the U.S. Navy as well as by several overseas customers.
www.ga-asi.com

Customer location

San Diego, California
United States


Partner

ATA Engineering, Inc. (ATA) is a high-value provider of analysis-driven and test-driven design solutions for structural, mechanical, electro-mechanical and aerospace products.
www.ata-e.com

of Nastran, I-deas Test and ATA's proprietary model updating software, all using the same data sets. Modes from the validated model and a panel model of the vehicle were then exported directly to the ZAERO software system from Zona Technology for aeroelastic analysis. Similar aeroelastic technology is also available in NX Nastran.

Eliminating the boundaries between tools

The flexibility provided by the ability to import and export models and data seamlessly to and from a variety of codes allowed ATA to focus on the engineering issues and utilize the best tools, regardless of vendor, to get the job done. By working in a highly integrated design, analysis and test environment, ATA was able to meet all of the project's schedule and technical needs and provide critical flight qualification information to General Atomics Aeronautical Systems, Inc.



Siemens Industry Software

Americas +1 314 264 8499
Europe +44 (0) 1276 413200
Asia-Pacific +852 2230 3308

www.siemens.com/plm

© 2014 Siemens Product Lifecycle Management Software Inc. Siemens and the Siemens logo are registered trademarks of Siemens AG. D-Cubed, Femap, Geolus, GO PLM, I-deas, JT, NX, Parasolid, Solid Edge, Teamcenter and Tecnomatix are trademarks or registered trademarks of Siemens Product Lifecycle Management Software Inc. or its subsidiaries in the United States and in other countries. Nastran is a registered trademark of the National Aeronautics and Space Administration. ZAERO is a trademark or registered trademark of ZONA Technology, Inc. or its subsidiaries in the United States and/or other countries. All other logos, trademarks, registered trademarks or service marks used herein are the property of their respective holders.
Z8 2763 2/14 C